

AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.

©2015 AT&T Intellectual Property. All rights reserved.

INTRODUCTION

Reason For Current Issue

Overview

About This Document

Purpose

Scope

Audience

Related Documentation

Acronyms and Terms

Trademarks

Conventions

Contacts

Cable Overview

General Requirements

Main Cable Characteristics

Characteristic Impedance

Skin Effect

Key Technical Specifications

Electrical

Attenuation

Velocity of Propagation

Return Loss

3rd Order IM Product

Average Power Rating

Peak Power Rating

Cut-off Frequency

Mechanical

Tensile Strength

Flat Plate Crush Strength

Bending Moment

Minimum bending radius, single bending

Minimum bending radius, repeated bending

Corrugated vs. Smooth-wall

AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


©2015 AT&T Intellectual Property. All rights reserved.

Approved Vendors**General RF Cable Guidelines****Flowcharts****Existing Site Cable Order Flowchart****New Site Build Cable Order Flowchart****Non-Standard Cable Products****Connector Overview****Connector Mating****Connector Types****7-16 DIN Connector****N Connector****SMA Connector****SMB Connector****QMA Connector****1.0/2.3 mm Connector****4.1/9.5 mm Connector****4.3-10 Connector****AISG Connector****RF Connector Guidelines****Revision Log****Vendor Documents****Andrew/Commscope****RFS****Factory Pre-Made RF Jumper Cable PIM and Sweep Measurement Data****Commscope****RFS****Rosenberger****Recommended Torque for Connector Coupling Nuts**

AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


©2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


©2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.

2015 AT&T Intellectual Property. All rights reserved.



mh8532@att.com


ej9883@att.com

ia766a@att.com

AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.

2015 AT&T Intellectual Property. All rights reserved.




AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.

2015 AT&T Intellectual Property. All rights reserved.

	Corrugated	Smooth-wall	Comment
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]




<https://mobility-consumer.web.att.com/sites/ET/RE%20Hardware%20Equipment%20Engineering/Ancillary%20RE%20Hardware/Forms/AllItems.aspx>

AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.



2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.

2015 AT&T Intellectual Property. All rights reserved.



[Cable Hanger Spacing Consideration and Guidelines.pdf](#)


[Coaxial Cable Installation Instructions.pdf](#)

[20110929134721653.pdf](#)

AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.


2015 AT&T Intellectual Property. All rights reserved.



AT&T Proprietary (Internal Use Only)

Not for use or disclosure outside the AT&T companies, except under written agreement.

2015 AT&T Intellectual Property. All rights reserved.



Item	Value	Unit
1	1.0	in-lbs
2	2.0	in-lbs
3	3.0	in-lbs
4	4.0	in-lbs
5	5.0	in-lbs
6	6.0	in-lbs
7	7.0	in-lbs
8	8.0	in-lbs
9	9.0	in-lbs
10	10.0	in-lbs
11	11.0	in-lbs
12	12.0	in-lbs
13	13.0	in-lbs
14	14.0	in-lbs
15	15.0	in-lbs
16	16.0	in-lbs
17	17.0	in-lbs
18	18.0	in-lbs
19	19.0	in-lbs
20	20.0	in-lbs
21	21.0	in-lbs
22	22.0	in-lbs
23	23.0	in-lbs
24	24.0	in-lbs
25	25.0	in-lbs
26	26.0	in-lbs
27	27.0	in-lbs
28	28.0	in-lbs
29	29.0	in-lbs
30	30.0	in-lbs
31	31.0	in-lbs
32	32.0	in-lbs
33	33.0	in-lbs
34	34.0	in-lbs
35	35.0	in-lbs
36	36.0	in-lbs
37	37.0	in-lbs
38	38.0	in-lbs
39	39.0	in-lbs
40	40.0	in-lbs
41	41.0	in-lbs
42	42.0	in-lbs
43	43.0	in-lbs
44	44.0	in-lbs
45	45.0	in-lbs
46	46.0	in-lbs
47	47.0	in-lbs
48	48.0	in-lbs
49	49.0	in-lbs
50	50.0	in-lbs
51	51.0	in-lbs
52	52.0	in-lbs
53	53.0	in-lbs
54	54.0	in-lbs
55	55.0	in-lbs
56	56.0	in-lbs
57	57.0	in-lbs
58	58.0	in-lbs
59	59.0	in-lbs
60	60.0	in-lbs
61	61.0	in-lbs
62	62.0	in-lbs
63	63.0	in-lbs
64	64.0	in-lbs
65	65.0	in-lbs
66	66.0	in-lbs
67	67.0	in-lbs
68	68.0	in-lbs
69	69.0	in-lbs
70	70.0	in-lbs
71	71.0	in-lbs
72	72.0	in-lbs
73	73.0	in-lbs
74	74.0	in-lbs
75	75.0	in-lbs
76	76.0	in-lbs
77	77.0	in-lbs
78	78.0	in-lbs
79	79.0	in-lbs
80	80.0	in-lbs
81	81.0	in-lbs
82	82.0	in-lbs
83	83.0	in-lbs
84	84.0	in-lbs
85	85.0	in-lbs
86	86.0	in-lbs
87	87.0	in-lbs
88	88.0	in-lbs
89	89.0	in-lbs
90	90.0	in-lbs
91	91.0	in-lbs
92	92.0	in-lbs
93	93.0	in-lbs
94	94.0	in-lbs
95	95.0	in-lbs
96	96.0	in-lbs
97	97.0	in-lbs
98	98.0	in-lbs
99	99.0	in-lbs
100	100.0	in-lbs

NOTE:
[1] To convert to ft-lbs, the value of in-lbs is divided by 12. To convert to N-m, the value of in-lbs multiplies 0.113.

